

Dikalan

серия смесителя

Паспорт

Certificate of quality

Use manual

The faucet sealing structure is complete different for the old lifting rubber sealing faucet.

It seal the water by two accurate plant ceramic blade, it possesses good sealing function and long use life, it would not have leakage before use less than 300,000 times.

The non-poison, wear resisting and safe sealing ceramic blade solve the problem of faucet leakage, short use life etc.

Cleaning and repairing

For keeping the faucet bright surface, please clean the faucet usually or regular:

✓ use clear water clean faucet only, and use soft cotton cloth dry it.

× No use the wearing cleaning water & emery cloth and paper clean faucet.

1 × No use the nitric cleaning water & coarse cleaning water or soap clean faucet.

If you want to make big washing on faucet, please obey the following procedure:

1. use the clear water and soft cloth to get rid of faucet surface dirty;

2. use the following cleaning water to get rid of faucet surface dirty;

✓ temperate cleaning liquid

✓ colorless glass cleaning agent, the powder cleaning agent what no possess abrasive function but can be solved completely. (please solve the powder cleaning agent by indication)

✓ Non-abrasive bright crack liquid.

3. After finished cleaning work, please use the clear water wash the cleaning agent completely and use the soft cotton cloth dry the faucet.


Check fittings

Since for the different items, the main sets would be different. The following list only for your reference.

Bathroom faucet standard fittings list

The diagram illustrates the standard fittings for a bathroom faucet. The components are numbered as follows:


- ① Stem-type filter valve
- ② Lever chrome cap
- ③ Spring return
- ④ Rubber gasket
- ⑤ O-ring
- ⑥ Thermal shaver head set
- ⑦ Expansion ball
- ⑧ Ceramic cartridge
- ⑨ Locking ball
- ⑩ Rubber gasket
- ⑪ Plating chrome base



Shower faucet standard fittings list

- ① European type nozzle
- ② Flange cylinder
- ③ Rubber gasket
- ④ main pipe

Brackets indicate that items ①, ②, and ③ are part of the 'Nozzles set'.




In wall kitchen faucet standard fittings list

① Thermostatic type shower valve
 ② Gauge cylinder
 ③ Swivel gasket


Removes set

④ main axis
 ⑤ bend pipe




Single hole basin faucet standard fittings

- ① Mounting lever
- ② Body nut
- ③ O type ring
- ④ O type sealing gasket
- ⑤ O type brass pin
- ⑥ Flared nut
- ⑦ Relief valve
- ⑧ Mounting lever seal
- ⑨ Mounting lever seal nut
- ⑩ Mounting lever seal
- ⑪ Mounting lever V type spring blade
- ⑫ Mounting lever
- ⑬ Brass flared nut
- ⑭ Mounting lever ball
- ⑮ Flared plastic nut
- ⑯ Mounting lever brass




In wall kitchen faucet standard fittings list

- 1 Flange cylinder
- 2 Shower hose
- 3 Shower head
- 4 Body nut
- 5 Lever
- 6 Bolt
- 7 Handle
- 8 Precoat nut
- 9 Lever
- 10 Guard & fast mark
- 11 Inner air-angle wrench
- 12 Fastener nut




Indoor kitchen faucet stand-and fittings list

- ① body sets
- ② O type ring
- ③ C type rubber gasket
- ④ C type brass gasket
- ⑤ fixed nut
- ⑥ inlet hose



Single lever single hole basin faucet standard fittings list

① body set
 ② O type ring
 ③ C type rubber gasket
 ④ C type brass gasket
 ⑤ fixed nut
 ⑥ inlet hose



УСЛОВИЯ ГАРАНТИИ

В гарантийном обслуживании и ремонте может быть отказано при:

- загрязнении, образовании известкового налета;
- использовании запасных частей чужого происхождения;
- несоблюдении инструкций по монтажу, обслуживанию и уходу;
- ремонте или переделке изделия посторонними лицами (не уполномоченными для проведения таких работ);
- естественном износе деталей, например, таких как уплотнения, декоративные накладки, аэраторы;
- использовании изделия не по его функциональному назначению;
- попадании внутрь инородных предметов;
- неквалифицированной установке;
- при неполном комплекте изделия.

Гарантийный талон № _____

Наименование и артикул изделия	
Дата продажи	
Штамп продавца (магазина)	

Подпись покупателя: _____